




Test Phone Contractor TS19



“The original reliable contractor grade buttset”

Entry Level Analogue Test Set

The Aegis range of test telephones are designed for use on all PSTN systems by line installers, repair technicians, and other tradespeople for phone line testing and monitoring. There is a model suitable for every application, from basic to advanced, meaning you can choose the butt set that is right for you.

The CZ20019 is the basic entry level buttinski with all the basic features required for phone line testing. A high impedance monitor mode protects interruption to ADSL when monitoring the line.

The CZ20019 test set has been specifically designed for the in-house telecom technician. This back-to-basics dual function test set has both tone and pulse operation, last number redial, solid state circuitry and a high impedance monitor.

It is ergonomically shaped to be comfortable. All the features of a basic test set at a very realistic price.



Analogue Test Set

Fluke Networks means reliability and this is one tried and tested product.

You can always rely upon this butt.

01

High impedance monitor
for Datasafe™ operation

02

Last number redial:
18 digits, tone or
pulse mode

ergonomically
design

03

Includes standard
banana plugs

04

Field replaceable
belt hook

SPECIFICATIONS

1

Electrical

Current Range	10 mA to 100 mA
DC Resistance	Off-Hook 150 Ω nominal On-Hook >3 M Ω
AC Impedance	Off-Hook 600 Ω nominal; 300 Hz to 3400 Hz On-Hook >120 k Ω ; 300 Hz to 3400 Hz

2

DTMF Output

Tone Frequency Error	$\pm 1.5\%$ maximum
Tone Level	-3 dBm combined (typical)
High versus Low Tone Difference	2 dB \pm 2 dB

3

Physical

Dimensions	1100 x 120 x 80mm (packed unit)
Weight	1200 grams